



HARYANA STATE POLLUTION CONTROL BOARD

Haryana State Pollution Control Board, 3rd Floor,
HSI IDC Office Complex, IMT Manesar,
Gurugram Email:- hspcbrogrs@gmail.com
E-mail: hspcb@hry.nic.in



No. HSPCB/Consent/ : 433883321GUSOCTO8511406

Dated:08/02/2021

To.

M/s :Eltex India Pvt. Ltd.
Plot No 13, Sector-8, IMT Manesar, Gurgaon

Subject: Grant of consent to operate to M/s Eltex India Pvt. Ltd..

Please refer to your application no. 8511406 received on dated 2020-12-25 in regional office Gurgaon South. With reference to your above application for consent to operate, M/s Eltex India Pvt. Ltd. is here by granted consent as per following specification/Terms and conditions.

Consent Under	BOTH
Period of consent	01/04/2021 - 31/03/2026
Industry Type	Garment/Apparel manufacturing units having only garment washing, with or without boiler except bleaching, dyeing, printing, Coloring
Category	ORANGE
Investment(In Lakh)	550.0
Total Land Area(Sq. meter)	4050.0
Total Builtup Area(Sq. meter)	2199.0
Quantity of effluent	
1. Trade	22.0 KL/Day
2. Domestic	15.0 KL/Day
Number of outlets	2.0
Mode of discharge	
1. Domestic	Sewer
2. Trade	ETP
Domestic Effluent Parameters	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l
4. Oil&Grease	10 mg/l
5. pH	5.5-9.0
Trade Effluent Parameters	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l

4. Oil&Grease	10 mg/l
5. pH	5.5-9.0
Number of stacks	3
Height of stack	
1. DG SET STACK CAPACITY 250KVA	13.5 Meter
2. Boiler capacity 100kg stack	18.98 Meter
3. Boiler Capacity 300KG Stack	15 Meter
Emission parameters	
1. SPM	500 mg/m ³
Product Details	
1. MANUFACTURING OF READYMADE GARMENTS	5000 Numbers/ day
Capacity of boiler	
1. HSD fired Boiler	0.33 Ton/hr
2. HSD fired Boiler	0.1 Ton/hr
Type of Furnace	
1. NA	0 0
Type of Fuel	
1. Diesel	2.5 KL/day
Raw Material Details	
NEEDLE	200 Numbers/Day
FABRIC	10000 Sqr/mtr
THREAD	100 Numbers/Day

*Regional Officer, Gurgaon South
Haryana State Pollution Control Board.*

Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control

equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.

6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.
10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.
11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.
12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.
13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.
14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.
15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.
16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

Specific Conditions :

1. That the unit will run and maintain it's ETP regularly and properly will provide separate energy meter on their ETP and maintain the Log Book for energy consumption.
2. That the unit shall keep all the parameters within the prescribed limits and shall comply with all the Norms and Rules as prescribed in the Act.
3. That the unit will adopt cleaner technology thereby reducing pollution load.
4. That the unit will provide inter locking arrangement of DG set with ETP and shall have separate D.G. set to ensure regular and effective running of pollution control devices.
5. That the unit will not discharge any untreated effluent inside and outside its premises.
6. Unit will provide separate flow meter at Inlet/ Outlet of ETP for which separate log book will be maintained if required.
7. That the unit will not add any air polluting process/ machinery and also not to add any process which increases the water pollution load.

8. That the unit will comply with all the provisions of Hazardous Waste Rules and submit return under HWM Rules on yearly basis.
9. That the CTO so granted shall become invalid in case of violation of any of the above / any law of the land.
10. Unit will submit analysis report from recognized laboratory under air /water act every year as applicable.
11. Unit will take prior permission from CGWA before extracting ground water.
12. Unit will ensure that rain water does not get mixed with trade effluent/domestic effluent
13. Unit will provide Effective fugitive emission control measures should be imposed in the process transportation, packing etc.
14. Unit will Transportation of material by rail/conveyor belt be preferred.
15. Unit will proper use of cleaner fuels (pet coke/furnace oil/LSHS may be avoided) in the process.
16. Unit wills Maintenance of greenbelt outside the project premises such as avenue plantation, plantation in vacant area, social forestry etc
17. Unit will carry out Assessment of carrying capacity of transportation load on roads inside the industrial premises. If the roads required to be widened shall be prescribed as a conditions.
18. Unit will provide a detailed water harvesting plan may be submitted by the project proponent.
19. Unit will apply for consent to operate for further period 90 days before expiry of this consent otherwise penalty will be imposed as per policy.
20. Unit will submit copy of authorization under HWM rules issued by the board within 30 days.

Shakti Singh Digitally signed by Shakti Singh
Date: 2021.02.08 18:14:36
+0530'
Regional Officer, Gurgaon South
Haryana State Pollution Control Board.